


### 22' WIDE HOMES







## MEADOWLAKE Model 22272

3 Beds | 2 Baths 22' x 60' ~ 1,320 sq. ft.



Options shown in image: Alys Front Door, Painted Smartboard Window Trim & Corners, 16' Dormer with Eyebrow, Board & Batten, Bath Window, Arctic Glass Window, 46x60 Windows ILO 46x42 Windows in Bedroom #2 Bedroom #3 & Dining Room Windows, Additional Caspian Column.



#### MEADOWROCK Model 22275


**3** Beds | 2 Baths 22' x 60' ~ 1,320 sq. ft.





#### HERITAGE Model 22492

3 Beds | 2 Baths | Porch | 22' x 72' ~ 1,584 sq. ft.



#### WINCHESTER Model 22555


**5** Beds | **2** Baths 22' x 76' ~ 1,672 sq. ft.



### **KENSINGTON**

4 Beds | 2 Baths | Family Room  $22' \times 76' \sim 1,672 \text{ sq. ft.}$ 






#### CHADRON Model 22591

3 Beds | 2 Baths | Porch 22' x 76' ~ 1,672 sq. ft.




Options shown in image: Alys Front Door, Painted Smartboard Window Trim & Corners, 16' Dormer, Board & Batten, Bath Window, Arctic Glass Window, 46x60 Windows ILO 46x42 Windows in Bedroom #2 Bedroom #3 & Dining Room Windows, Additional Caspian Column.



#### ALLENTOWN Model 22592

3 Beds | 2 Baths | Porch 22' x 76' ~ 1,672 sq. ft.







#### TRENTON Model 22594

3 Beds | 2 Baths | Den  $22' \times 76' \sim 1,672 \text{ sq. ft.}$ 



Options shown in image: Alys Front Door, 9-Lite Rear Door, Painted Smartboard Window Trim & Corner, Eyebrow Dormer, Caspian Columns on Hitch End, Painted Cement Board Siding.








EXETER Model 22651

**3 Beds** | **2 Baths** 22' x 76' ~ 1,672 sq. ft.







#### STANDARD FEATURES & SPECIFICATIONS

	General Construction
Building Code	A-277 Zone 7A*
Snow Load	Live load 42 psf (2.01 kPa)
	Ground snow load 72.6 psf (3.48 kPa)
Insulation R Values	Floors R-48, Walls R-22 & Ceiling R-40 (min)
	Meets zone 8 of the 9.36 Energy Code**
Floor	Engineered open web truss @ 16" o.c.
	Heavy tubular steel frame w/detachable hitch
Decking	19/32" T & G OSB floor decking; glued and
	screwed
Roof	4/12 roof pitch; engineered roof trusses
	7/16" roof sheathing
	Architectural asphalt shingles -
	limited lifetime warranty
Eaves	12" sides, 18" front & rear vented eaves
Siding	Maintenance free vinyl lap siding & corners
Fascia	Metal - white or black
Soffit	White vinyl
Building Envelope	Meets 0.20 L/M2S
Exterior Walls	2"x6", 24" o.c.
	3/8" OSB sheathing inside & outside of wall
Interior Walls	2"x4" Interior walls
	8' ceilings
	Cathedral ceiling in living, dining, and kitchen
Ceiling	Textured (primed) gyproc ceiling
Windows	1.36 U-value, dual low E argon filled PVC
	(meets zone 8 of the 9.36 Energy Code)*
	c/w vinyl sills, screens and security locks
•	72x60v - Sliding
•	46x42v - Sliding
	46x42v - Sliding
Kitchen (most models)	
Family Room (if app.)	60x60v - Sliding
Exterior Doors	36" Decorative insulated entry doors
	- front & rear
	Includes deadbolt & peephole
	Single lever door handle - satin nickel
	Pot light at all exterior entrances
Exterior Decorative	Dormer over living room window
Features	Caspian columns at living room dormer

Spacious Baths		
Tile	Single row w/metal tile edging	
Fixtures	One-piece quality fiberglass oval tub &	
	shower unit - ensuite	
	Two-sided duma wall shower - ensuite	
	bathroom - select models	
	One-piece quality fiberglass tub & shower	
	unit - main bath	
	White oval drop in sink	
	Single flush toilet	
Faucets	Dual handle vanity faucets	
	Single lever faucet on tub/shower unit	
Hardware	Curved Shower rods in all tubs	
	Towel bar, ring & paper holder - chrome	
Vanity	Expansive vanity mirrors	
Countertop Heights:	32" in main & secondary bathrooms	
, ,	36" in ensuite	
Electrical	GFI receptacle	
	Power bath fan(s)	
Lighting	Hampton light fixture	

	Hampton
	10 YEAR
_	
P	rogressive
Н	OME WARRANTY

<u>Tasteful Interiors</u>		
Flooring	Carpet in living room, family room, den,	
	hallway & all bedrooms	
	Quality linoleum flooring all other areas	
Blinds	Cellular cordless blinds (excl bathrooms)	
Interior Doors	Conmore passage doors - white	
	Louvered bifold at furnace location - white	
Interior Door Handles	Single lever in satin nickel	
	Privacy locks on bathroom doors excluding	
	ensuites. If bathroom is an ensuite, bdrm	
	will have privacy set.	
Closets	Solid white shelving	
Wall Finish	Decorative 1/2" vinyl on gyproc (VOG)	
	Battens on joints	
Moulding <sup>1</sup>	Vinyl wrapped	
	Colour - décor specific	
Windows & Doors	#3007 (2-1/4")	
Ceiling	Flat #3007 (2-1/4"); Vault #451 (2-5/8")	
Baseboards	#3007 (2-1/4")	
Electrical	Decora switches & recepts - white	
Lighting	Ceiling mount in all bdrms, halls & utility room	
	Decorative chandelier in dining room - chrome	
	Wired for ceiling fan in living room (2 switches)	

Bright, Beautiful Kitchens		
Tile	Single row w/metal tile edging	
Range	30" electric - white	
	Range Hood w/light - white	
Fridge	19 cu.ft., 2-door, frost free - white	
	Opening: 34"x73"	
Sink	Double stainless steel sink	
	Single lever faucet w/veggie sprayer - chrome	
Pantry	Most models	
Cabinets	Doweled, full modular cabinetry	
	Cabinet crown moulding	
	Five distinctive colors of cabinet doors	
	Stepped cabinet over fridge & range	
Countertop	Arborite	
Lighting	Pot lights (x5)	

Hillity Sarvions		
Utility Services		
Electrical Service	100 amp	
Heating	High efficiency (95+AFUE) single stage	
	furnace	
	Natural gas / propane	
	Programmable thermostat	
Water Heater	33 Imp. (40 US) gallon natural gas	
	3m Insulated water lines on hot & cold	
Washer / Dryer	Plumbed, wired & vented for side by side	
	Recessed dryer outlet	
	Solid shelf above washer/dryer location	
Electrical - Other	Primary exhaust fan w/dehumidistat & switch	
	Smoke detectors w/battery backup in bdrms	
	CO/Smoke Detector(s) w/battery backup	
	locations as per code	
	Arc fault protection as required by code	
	GFI protected receptacle for heat tape	
	Dedicated receptacle in "Freezer Area"	
	Exterior GFI electrical outlet (2)	
	Blank communication outlet: living room (1),	
	master bdrm (1)	
Plumbing - Other	Exterior frost free water tap	
	Shut off valves all fixtures (excl tubs)	



# **Exterior Wall Construction**Best Standard in the Housing Industry!

2"X6" EXTERIOR WALLS CONSTRUCTED • @ 24" O/C TO MAXIMIZE ENERGY EFFICIENCY


R22 INSULATION WITH 6 MIL POLY • (ZONES 6 TO 8 UNDER 9.36 ENERGY CODE)

3/8" STRUCTURAL INTERIOR OSB = FOR THE STRONGEST WALL IN THE INDUSTRY

ALPHA GLUE TO MAXIMIZE STRENGTH AND MAINTAIN HOMES INTEGRITY

1/2" VINYL COVERED GYPROC FASTENED OSB USING ALPHA GLUE SYSTEM

3/8" STRUCTURAL EXTERIOR OSB FASTENED\*
TO STUDS WITH SHEATHING STAPLES



"We surpass the competition!"









#### **MODULINEMEDICINEHAT.COM**